

Diámetro Nominal Pulg.	Diámetro Exterior mm.	Número Schedule	Espesor Nominal mm.	Peso Teórico Kg/ml	Presión Máxima PSI
1 / 2	21,30	40	2,77	1,27	700
3 / 4	26,70	40	2,87	1,69	700
1	33,4	40	3,38	2,50	700
1.1/4	42,20	40	3,56	3,39	1.300
1.1/2	48,30	40	3,68	4,05	1.300
2	60,30	40	3,91	5,44	2500
2.1/2	73,00	40	5,16	8,63	2500
3	88,9	40	5,49	11,29	2500
4	114,3	40	6,02	16,07	2.210
5	141,30	40	6,55	20,14	1.950
		10	3,4	13,82	790
6	168,30	40	7,11	28,26	1.780
		10	6,35	33,31	1.220
8	219,10	40	8,18	42,55	1.570
		10	6,35	41,75	980
10	273,00	40	9,27	60,29	1.430
		10	6,35	49,71	820
12	323,80	STD	9,52	73,78	1.240
		10	6,35	54,69	750
14	355,60	STD	9,52	81,25	1.120
		10	6,35	62,64	660
16	406,40	STD	9,52	93,17	980
		10	6,35	70,51	580
18	457,20	STD	9,52	105,10	880
		10	6,35	78,56	520
20	508,00	STD	9,52	117,02	790
		10	6,35	94,45	440
24	609,60	STD	9,52	140,88	650
30	762,04	STD	9,52	176,29	520
36	914,40	STD	9,52	211,90	440